

■ UMタイプ 外形図 (寸法単位:m/m)

<UM-1-3>	<UM-5-3>
<p>Technical drawing of UM-1-3 component. Side view shows a height of 8.0 max and a main body height of 20±0.2. The diameter of the main body is φ0.35±0.05. The top section has a height of 2.2±0.2. The top view shows a width of 8.0 max and a distance of 3.75±0.25 between the IN/OUT pins. The Case Ground is indicated.</p>	<p>Technical drawing of UM-5-3 component. Side view shows a height of 6.0max and a main body height of 20±0.2. The diameter of the main body is φ0.35±0.05. The top section has a height of 2.2±0.2. The top view shows a width of 8.0 max and a distance of 3.75±0.25 between the IN/OUT pins. The Case Ground is indicated.</p>
<UM-4-3>	<MF-1(0.35)>
<p>Technical drawing of UM-4-3 component. Side view shows a height of 4.5 max and a main body height of 20±0.2. The diameter of the main body is φ0.35±0.05. The top section has a height of 2.2±0.2. The top view shows a width of 8.0 max and a distance of 3.75±0.25 between the IN/OUT pins. The Case Ground is indicated.</p>	<p>Technical drawing of MF-1(0.35) component. Side view shows a total height of 11.5 and a main body height of 7.0. The diameter of the main body is 4xφ0.35. The top section has a height of 4.0. The top view shows a width of 11.5 and a distance of 7.4 between the IN and OUT pins. The Case Ground is indicated.</p>